

Comparison

| Points of Inspection | | 79 | 168 |
|---|------------------------|------------------|----------------|
| Point of Inspection | | Essential | <u>Premier</u> |
| Roof | | | |
| ✓ Inspect and rate the overall Roof Condition. | | \checkmark | |
| \checkmark Identify the Roof material type and the sealants that | have been | | \checkmark |
| applied to the roof. | | | |
| \checkmark Evaluate the condition of the various sealant and join | ts around the | | \checkmark |
| roofing components. | | | |
| ✓ Rate the condition of the roof vents, air conditioners, | antenna, other | \checkmark | \checkmark |
| components that are mounted on the roof. | | | |
| Identify areas of concern and potential water intrusion | on points. | | \checkmark |
| | | | |
| Sidewall and End Caps | | | |
| \checkmark Inspect and identify the material type of the front and rear caps. | | | \checkmark |
| Evaluate the aging and general overall condition of the front and | | | ✓ |
| rear caps. | | | |
| ✓ Inspect and evaluate the appearance and functional operation | condition of | \checkmark | \checkmark |
| the sidewall <mark>s,</mark> enterance doors, wind <mark>ows, and carg</mark> o a | access doors | | |
| ✓ Inspect and evaluate any damage, discoloration, and | delamination | | \checkmark |
| of the side wall and end cap compon <mark>ents.</mark> | | | |
| | | | |
| Slide Out Rooms | | | |
| Identify the types of slideout room drive systems. | | | ✓ |
| Identify the type of roof material for the slideout roo | m. 🦳 | | ✓ |
| Inspect and rate the roof condition. | | · - ✓ | ✓ |
| Inspect and evaluate the condition of the seals, sweeps and gaskets | | | \checkmark |
| for possible damage. | | | |
| Evaluate the attached wiring and utility harness that feed underneath | | | \checkmark |
| the slide out room. | | | |
| | | | |
| Awnings and Slide Out Toppers | | | |
| ✓ Inspect and identify operational type (manual vs election) | tric) of the awnings, | | \checkmark |
| slideout toppers and window awnings. | | | |
| ✓ Operate and rate condition of the awning frames and | latching mechanisms. | \checkmark | \checkmark |
| \checkmark Evaluate and rate the condition of fabric material of t | he awnings. | | \checkmark |
| | | | |
| Chassis Turn Signal and Running Lights (12-volt DC) | | | |
| \checkmark Inspect the condition of the 7-pin connector receptad | le. | | \checkmark |
| \checkmark Activate and evaluate the operation of the DOT lights | i. | \checkmark | \checkmark |
| \checkmark Visually inspect the chassis battery compartment the | electrical connections | \checkmark | \checkmark |
| and batteries. | | | |



120 Volt AC Electrical System (house type power)

- ✓ Inspect and rate the condition of the power cord and its connection ends.
- ✓ Identify any damage or repair of the power cord.
- ✓ Remove cover panel of 120-volt circuit breaker box to visually inspect the condition of the wiring, circuit breakers and grounding connections.
- \checkmark List any heat discoloration to the wiring and connections.
- \checkmark Verify the separation of all the wiring types.
- ✓ Test and verify the output operation of the 120 VAC to 12 VDC converter for charging of the deep cycle batteries.

Generator- Engine

- ✓ Identify and note the model, serial number and run hours of the generator.
- ✓ Check oil level.
- ✓ Start, operate and test the onboard generator under load.
- ✓ Test the voltage output and frequency (60 cycles).

Generator - Radiator

- ✓ Location of the radiator and cooling fans.
- ✓ Visually inspect the coolant reservoir, radiator and hoses.

Inverter – if installed

- \checkmark Identify and note the model and serial number of the inverter.
- ✓ Visually inspect the wiring and electrical connections and fuses/ci breakers
- \checkmark Place electrical load on inverter to verify proper operation.
- ✓ Test voltage and frequency output of the inverter under fifty percent load.

Coach Battery System – (12-volt DC deep cycle Battery Electrical System)

- \checkmark Locate and note the location of the battery stack.
- \checkmark Evaluate the condition, age and matched sizing of the battery stack.
- ✓ Evaluate and determine if positive and negative cables are correctly matched for balanced load.
- \checkmark Access and visually inspect the wiring, fuse panel and fuses of the 12-volt
- ✓ DC electrical system.
- ✓ Evaluate the operation of the fresh water /waste water monitor panel for correct tank readings.

Fresh Water System

- $\checkmark\,$ Verify the fresh water connections are operational.
- ✓ Verify the onboard fresh water tank and pressure pump system operate and maintain pressure.

| Given the section G-Tec Comparison G-Tec Comparison | c RV Inspect | ions and Services |
|---|--------------|-------------------|
| \checkmark Operationally test all fresh water fixtures inside and outside of the RV. | | \checkmark |
| \checkmark Visually inspect the water filtration system (if installed) for leaks and | | \checkmark |
| filter placement. | | |
| <u>Waste Water Systems – (Gray and Black Water)</u> | | |
| Operationally test and inspect both waste (gray and black) plumbing systems for leaks in all areas of the RV. | ~ | \checkmark |
| ✓ Identify the type drain valve controls. | | \checkmark |
| \checkmark Verify the drain valves for both systems will maintain water in their tanks. | | \checkmark |
| Operate both drain valves and test for ease of operation. | \checkmark | \checkmark |
| \checkmark Verify the drain cap is in place and will hold waste water. | \checkmark | \checkmark |
| Life Safety Items | | |
| ✓ Perform and document LP gas timed leak test at cook top burner spud for 5 minutes at 8 inches of water column gas pressure. | ~ | \checkmark |
| ✓ Test the Ground Fault Circuit Interrupter (GFCI) circuits in the 6-foot | 1 | √ |
| range of the water areas of the bathroom, kitchen and exterior receptacles. | | |
| ✓ Test all wall receptacles for correct polarity and ground fault. | \checkmark | \checkmark |
| \checkmark Test the exterior skin for Hot Skin that would cause electrical shock. | ✓ | \checkmark |
| Emergency Exit Windows – Verify all safety windows are operational. | ✓ | 1 |
| ✓ Fire Extinguisher – Verify unit is secure in bracket and dial indicates | \checkmark | ✓ |
| extinguisher is fully charged. | | |
| ✓ Smoke/Fire Detector –Test and verify operation of units. | \checkmark | ✓ |
| Carbon Monoxide Detector (if applicable) – Test and verify operation of unit. | \checkmark | ✓ |
| LP Gas Detector – Verify gas detection and audio alarm. Document expiration date of detector. | ✓ | ~ |
| ✓ Verify rubber grommet is properly sealed around water heater LP gas line < | × | ✓ |
| LP Gas System | | |
| ✓ Visually inspect all hoses and pressure regulators for damage and age | ✓ | \checkmark |
| deterioration. | | |
| ✓ Verify plastic protective cover has been installed over regulator. | 1 | \checkmark |
| ✓ On Split tank system verify the red colored single stage regulator is installed. | | \checkmark |
| ASME tank - if equipped | | |
| \checkmark conduct a visual inspection of tank for rust or physical damage is accessable. | \checkmark | \checkmark |
| \checkmark List the location of the tank. | | \checkmark |
| Document the manufacture date of the ASME tank if accessible. | | \checkmark |
| ✓ List the gallon capacity of the tank. | | ✓ |
| Refrigerator | | |
| ✓ Identify the brand, model and type of refrigerator. | \checkmark | √ |
| ✓ Note the location of the vent panels used by refrigerator. | | V |
| ✓ Operate on all energy sources – 120-volt AC, LP gas and 12VDC for 3 way refrigerators. | v | ✓ |



Motor Home Inspection Comparison

- ✓ Collect serial and model number and verify with manufacturer if recall notice has been issued and completed for this unit. (Absorbation Type)
- ✓ Visually verify if baffle system on back of refrigerator area is correct and directing heat away from gas coils.
- ✓ Test for interior temperature of upper and lower refrigerator compartments and ice maker (if installed) *if refrigerator has been <u>operating for minimum</u> of 12 hours.
- ✓ Check condition of door frame, shelving, crisper drawers, door shelves and interior light.
- ✓ Evaluate and rate the door gasket seals of freezer and refrigerator box areas.

Water Heater - if equipped

- \checkmark Identify the brand, model and type of water heater.
- Visually inspect burner assembly and gas exhaust system for blockages and insect infestation.
- ✓ Fill tank with water (if necessary) and verify operation on all heat sources,
- ✓ LP gas and 120-volt AC if equipped with heating element.
- ✓ If installed, operate and verify positioning of bypass valves on back of water heater.
- ✓ Determine if proper drain plug has been installed in water heater tank.
- If installed, inspect and evaluate if the correct type of dauber screen has been used.

<u>Furnace – if eq<mark>ui</mark>pped</u>

- ✓ If accessible, identify the brand, model and type of furnace(s) installed.
- ✓ Identify the type of thermostat controls being used.
- ✓ Visually inspect air intake and exhaust assemblies for blockages.
- ✓ Operate and verify warm air discharge and proper return air flow.
- ✓ Monitor for unusual noise or vibration of blower motor.
- ✓ If installed, inspect, dauber screen.

Cook Top/ Stove

- ✓ Evaluate and rate the condition of the cook top or stove.
- ✓ List presence and condition of stove top covers.
- ✓ Verify the ignition and operation of all top burners and the oven flame (if equipped).
- ✓ Inspect and rate the condition of the metal grill top and rubber grommets of top burner area.
- ✓ Evaluate the presence of the control knobs, door handles and oven racks of the unit.

Air Conditioner(s)

- ✓ Identify and list the type of cooling unit/heat pump.
- ✓ Perform cooling efficiency test (Delta T) on each unit.



Comparison

✓ Inspect the air filter(s) debris and cleanliness.

Washer/ Dryer

- \checkmark Visually inspect and verify a wash and rinse cycle of the washer and dryer.
- ✓ Visually inspect for leaks or damaged hoses.
- ✓ Evaluate and rate the exterior condition of the dryer exhaust vent.

Microwave/Convection Oven

- ✓ Identify and list the brand, model, type and output wattage of the unit.
- ✓ Verify the rack and turn tables are installed.
- \checkmark Operate unit for 60 seconds utilizing cup of water and then list water temperature.

Dishwasher - if installed

- ✓ Identify and list the brand, model and type of unit.
- ✓ Verify operation of unit and inspect for leaks and non-functioning rotating racks and wash bars.

In House Vacuum System – if installed

- ✓ Identify and list the brand, model and type of unit.
- \checkmark Verify the operation and visually inspect the various components of the hose assembly, access doors and dirt bag.

Electric Fireplace – *if installed*

- ✓ Identify and list the brand, model and type of unit.
- ✓ Operate and verify the various heat settings, fan speed levels and the back lighting.

Cook Top Exhaust Fan

- Operate and verify condition of the exhaust function and fan speeds.
- ✓ Visually inspect the filter and lighting.
- ✓ Evaluate and rate the exterior condition of the exhaust vent.

Ceiling Mounted Fans and Ceiling Exhaust Vents

- ✓ Visually inspect the condition of the blades and motor.
- ✓ Operate and verify condition of the blade direction and fan speeds.
- ✓ Verify lighting if equipped.

Interior Conditions and Appearance

- ✓ Visually inspect all ceilings, walls, interior doors and flooring for signs of water intrusion, surface damage and/or staining.
- ✓ Operate all windows and doors for any deficiencies.



Motor Home Inspection

Comparison

- ✓ Evaluate the window coverings.
- ✓ Operate all interior, exterior and décor lighting 12-volt and 120-volts.

Cabinets and Closet Condition

- ✓ Inspect and evaluate all cabinet doors, drawers.
- ✓ Visually inspect all counter tops and flat surface areas of the kitchen, living room, bathroom, bedroom and storage areas for scratches and damage.
- ✓ Identify and list all broken and loose cabinet and closet hardware.
- ✓ Note if appearance of previous damage repairs have been performed.

Furniture

- ✓ Visually inspect the dinette table/booth, chairs, recliners and sofa.
- ✓ Inspect and note furniture fabric tears, discoloration and signs of excessive wear.
- ✓ Visually inspect and note signs of mattress damage or staining.

Entertainment System

- ✓ Visually inspect and operate all TV and stereo equipment.
- ✓ Verify DVD/disc players and radios are operational.
- ✓ Verify local channels antenna and 12-volt DC power signal booster is operational.
- ✓ Raise and lower roof mounted antenna if equipped.
- ✓ Verify remotes are operational.

Shower/Tub Enclosure

- ✓ Visually inspect the glass panels, curtains and soap dish areas.
- Evaluate the seals around the frame work and doors for water leaks.
- ✓ Operate the door and latch system to verify its operation.
- ✓ Inspect and evaluate the stains and chemical/mineral buildup.

Motor Home - Please note the following items: Due to insurance issues the Motor Home can NOT be driven by the Inspector. Also, the lack of clearance under the motor home and safety issues the Inspector will conduct the following visual inspections from the outer perimeter of the motor home.

Chassis and Undercarriage

✓ Visually inspect for rust, damage and excessive oil on the underside of the motor home.

Steering

✓ Visually inspect for bent or damaged components and hydraulic leaks.

Leveling System

| G·TEC | Motor Home Inspection Comparison | G-Tec RV Inspections and Services | |
|--|--|-----------------------------------|--|
| Identify and note the brand and type | pe of system. | \checkmark | |
| ✓ Operate by extending and retracting | ng leveling system. | \checkmark | |
| ✓ Check for hydraulic leaks or mecha | nical issues. | \checkmark | |
| Engine * Recommend performing eng | <u>iine oil and coolant</u> | | |
| analysis (additional fluids available) | | / / | |
| ✓ Make and model of the engine. | | * * | |
| ✓ Verify oil level on the dipstick. | | V | |
| ✓ Indications of engine issues or any | _ | v v | |
| ✓ Are there noticeable oil or exhaust | | V | |
| ✓ Note the oil pressure reading on the | le dash gauges. | V | |
| ✓ Note air intake restriction gauge | | ~ | |
| Radiator * Recommend performing en and coolant analysis (additional fluids a ✓ Visually inspect the coolant reserve ✓ Visually inspect radiator and hoses | ov <i>ailable)</i> Dir | | |
| Transmission *Recommend performation and coolant analysis (additional fluids and | | | |
| ✓ Type of transmission. | | | |
| ✓ Fluid level on dipstick. | ciocica fluid | | |
| ✓ Indications of contaminated transn Running Gear (Motor Home) | | | |
| \checkmark Type and number of axles. | | | |
| ✓ Weight Ratings for Each Axle Set. | | | |
| ✓ Inspect the frame, axles, springs, ri | ms and other components for rust | | |
| oil stains and visible damage. | | | |
| - | tires as to their age, tire tread conditio | an 🗸 🗸 | |
| ✓ Check tire pressure. | | \checkmark | |
| ✓ Inspect and rate tire tread conditio | n. | \checkmark | |
| Note any valve extensions and pres | | \checkmark | |
| Hitch System/Hook Up | | | |
| \checkmark Inspect and identify the type of sys | tem used to tow vehicles. | \checkmark | |
| \checkmark Evaluate and list modifications to h | litch system. | \checkmark | |
| Weight Labels and Data Plates | | | |
| ✓ Identify and document the Vehicle | Identification Number (VIN). | | |
| ✓ Document the License plate info. | | \checkmark | |
| \checkmark List the Inspection sticker informat | ion – if applicable. | \checkmark \checkmark | |

| G-TEC | |
|-------|--|
|-------|--|

Motor Home Inspection Comparison

G-Tec RV Inspections and Services

- ✓ List the RVIA inspection seal number.
- ✓ List the Gross Vehicle Weight Rating.
- ✓ List date of manufacturer.
- ✓ List the Manufacturer's Build Sheet (if available).
 - ✓ List Owner Stated Comments



